

Anybus Edge Gateway

Exercise: Presenting Data in HMS Hub

SOLUTION SHEET

SCM-1202-137 1.0 en-US ENGLISH



1 Presenting Data in HMS Hub

This exercise explains how to work with graphics in the HMS Hub portal, to display values in a nice and intuitive way.

In HMS Hub we can create Dashboards or Graphics. Both environments share, more or less, the same components, so when you know how to setup up one you can use both.

For this exercise, we will make a Graphics page.

1. Go to Config – Graphic and click on Create graphic.



2. Define the graphic settings (name, size etc...)

CONFIG:	GATEWAYS	DASHBOARD	REPORTS	MAP	GRAPHIC	ALARM	ALARM	USER
	4 н	DE SIDEBAR	Create gr	aphic				
SEARCH		Q	<		Create grap	hic		
			Graphic					
			Name*		DemoRig			
			Description					
			Stage width	*	600			
			Stage heigh	t*	800			
			Alignment*		left 🔻			
			Hide sidebar		1			
			Show in APP)				
			* Black input can be filled (fields are optionally.	mandatory fiel	ds, grey input	fields	

3. Click Save.

4. Add a gauge, showing the temperature level. Design it as you like and add the path to the temperature value (**Node**)



5. Add a diagram showing the last 5 minutes (300 seconds) of temperature values. Set the path to the temperature value by clicking **Add point**.



Note: the diagram will not show itself in Graphic mode.

Settings Name unnamed x 480 Y 40 W 60 H [2 R 0 Node [.]/DemoRig/variables/ OverrideLed1 Settings Image Vald Image Image	🖉 🗋 Tempe	rature		Image	T Text	011 01011 Value	♀ Map	Gaug) j e Ta	nk Diag	ram Buttor	n Button true/f
tame unnamed t 480 ¥ 40 ₩ 60 H 26 R 0 iode (,)/DemoRig/variables/ OverrideLedi Select new path alid image Bit walid image Bit walid image Delete Copy unnamed (1) A O O Diagram 1 A O O	ettings											
480 Y 40 W 60 H 25 R 0 Image: Comparison of the comparis	ame unnar	ned	*	24								
ode [.]/DemoRig/variables/ OverrideLed1 · Select new path • /pe logical alid image Image valid image Image unamed (1) • unamed (1) • Image Image Image	480 Y 40 W 60	H 26 R 0		20	ľ 🌷							
Layers Delete Copy unamed (1) unamed (1) Delete Copy Delete Copy Unamed (1) U	lode []/De	moRig/variables/			×							
valid image alid image Valid image Bit valid image Delete Copy unnamed Image: Delete Copy Image: Delete <	- Sele	ect new path -	-	25								
Aid image between the second s	ype logic	al										
Availed image Bit Availed imag	alid image	al	v.									
Layers Delete Copy unnamed (1) Delete Copy Digram1	valid image Bit	o mo										
Layers Delete Copy unnamed (1)												
Layers Delete Copy unnamed (1)												
Layers Delete Copy unnamed (1)			_									
unnamed (1) A O A O A O A O A O A O A O A O A O A	Layers	Delete C	ору									
e Diagram1	unnamed (1)		*				:)•					
🖉 Diagram1 🖉 💿	unnamed	∂ ⊙	>									
		0.0										

6. Finally, add two true/false buttons to override the LEDs.

7. <u>Go to View – Graphic, to view the result.</u>

VIEW:	GATEWAYS	DASHBOARD	REPORTS	MAP	GRAPHIC	ALARM
DemoR	ig					
24 N 97 22.	√ð 32				×	
~~~~						
13:34	13:36					